

# Assessments and evaluation for psychiatric disorder

Peter J. Nestor\*

---

Nestor PJ. Assessments and evaluation for psychiatric disorder. *J Clin Psychiatry Neurosci* 2021;4(2):1.

## DESCRIPTION

**A** psychiatric assessment or psychological screening is the process of gathering information about a person within a psychiatric service, with the purpose of making a diagnosis. The assessment is usually the first stage of a treatment process, but psychiatric assessments may also be used for various legal purposes. The assessment includes social and biographical information, direct observations, and data from specific psychological tests. It is typically carried out by a psychiatrist, but it can be a multi-disciplinary process involving nurses, psychologists, occupational therapist, social workers, and licensed professional counselors.

### Specialist mental health assessments

Some mental health conditions are difficult to diagnose so your GP might not be able to find the reason of your symptoms. Even for specialists, more than one mental health assessment or other tests can be needed to as it should be identifying your condition. Your GP might also additionally refer you to a intellectual fitness professional such as a psychiatrist. The psychiatrist might use any one of a number of common tests. One example is the Mini Mental State Examination (MMSE), which is a brief questionnaire used to degree cognitive impairment.

### Assessment used to help diagnose

Mental health disorders which include anxiety disorders, schizophrenia, attention deficit hyperactivity disorder, conduct disorder and bipolar disorder. Developmental problems which include studying disabilities and autism spectrum disorders. Alcohol and other drug issues. Other problems such as thyroid disease and brain tumors.

A psychiatric evaluation is most commonly carried out for clinical and therapeutic purposes, to establish a diagnosis and method of the individual's troubles, and to devise their care and treatment. This can be accomplished in a hospital, in an out-patient setting, or as a home-based evaluation.

### Multidisciplinary evaluation

Psychiatric assessment in hospital settings is commonly a multidisciplinary process, with contributions from psychiatric nurses, occupational therapists,

psychologists and social workers. A psychiatrist takes records and consists of out a mental state examination and physical exam as defined above. A nursing evaluation consists of hazard evaluation (hazard of suicide, aggression, absconding from health facility, self-harm, sexual protection in health facility and remedy compliance), bodily fitness screening, and acquiring history private and fitness data from the man or woman being admitted and their careers. The instant cause of the nursing evaluation is to decide the specified degree of care and supervision, and to have a plan to manage disturbed behavior. Assessment may want to encompass a go to the person's home, for direct observation of the social and dwelling environment. The position of a psychologist includes the usage of mental checks the based diagnostic instruments such as the Million Clinical Multiaxial Inventory or psychometric checks which include the WISC or WAIS, to help with prognosis and method of the man or woman's troubles. A psychologist may make a contribution to the team's assessment with the aid of using offering a mental method or behavioral analysis, that's an analysis, this systematic observation, of the factors which trigger or perpetuate the presenting troubles.

### Psychiatric evaluation

A psychiatric evaluation is a diagnostic tool employed by a psychiatrist. It may be used to diagnose problems with memory, thought processes, and behaviors. Diagnoses can include depression, schizophrenia, anxiety, bipolar disorder and addiction. Include the patient while making decisions about an initial treatment plan. Rule out other physical conditions that might be causing the symptoms. Identify long-term problems that might emerge in the future. Make changes in the treatment if needed, for those who have had a psychiatric evaluation in the past.

### General psychiatric evaluation

This aims to determine if a person has a mental illness that needs specialized care by a psychiatrist. A psychiatrist obtains the necessary information by asking specific questions which may be answered orally or in writing. Moreover, the psychiatrist can review the person's medical history and order lab tests. Notably, the evaluation may also involve meetings with the person's family members.

---

*Department of Neurosciences, Queensland Brain Institute, University of Queensland, Brisbane, Australia*

**Correspondence:** Peter J. Nestor, Department of Neurosciences, Queensland Brain Institute, University of Queensland, Brisbane, Australia, E-mail: [peterjN@health.qld.gov.au](mailto:peterjN@health.qld.gov.au)

**Received date:** November 3, 2021; **Accepted date:** November 17, 2021; **Published date:** November 24, 2021



This open-access article is distributed under the terms of the Creative Commons Attribution Non-Commercial License (CC BY-NC) (<http://creativecommons.org/licenses/by-nc/4.0/>), which permits reuse, distribution and reproduction of the article, provided that the original work is properly cited and the reuse is restricted to noncommercial purposes. For commercial reuse, contact [reprints@pulsus.com](mailto:reprints@pulsus.com)